AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims

- 1. (Previously Presented) A sintered calcium phosphate comprising a bioactive glass as a sintering aid, said bioactive glass formed from a composition substantially comprising 30 to 60 mol % of CaO, 40 to 70 mol % of SiO₂, 20 mol % or less of Na₂O, and 0.1-1.0 mol % of CaF₂, said sintered calcium phosphate being excellent in cell attachment, cell proliferation and alkaline phosphotase activity, wherein said composition forming the bioactive glass is free from P₂O₅, and said sintered calcium phosphate is formed from a calcium phosphate comprising a hydroxyapatite, a carbonated apatite or tricalcium phosphate.
 - 2. (Canceled)
- (Previously Presented) The sintered calcium phosphate according to claim 1, wherein said composition forming said bioactive glass further comprises B₂O₃.
 - 4. (Canceled)
- (Previously Presented) The sintered calcium phosphate according to claim 1, wherein
 a difference between glass transition temperature and crystallization initiation temperature in said
 bioactive glass is 80°C or more.
 - 6. (Canceled)

- 7. (Currently Amended) A sintered calcium phosphate comprising a bioactive glass as a sintering aid, said bioactive glass formed from a composition substantially comprising 30 to 60 mol % of CaO, 40 to 70 mol % of SiO₂, <u>0.1-1 mol % of CaF₂</u>, and at least one of Na₂O₇-CaF₂ and B₂O₃, Na₂O being 20 mol % or less, CaF₂ being 0.1-1 mol %, and B₂O₃ being 5 mol % or less, said sintered calcium phosphate being excellent in cell attachment, cell proliferation and alkaline phosphotase activity, wherein said sintered calcium phosphate is formed from a calcium phosphate comprising a hydroxyapatite, a carbonated apatite or tricalcium phosphate.
 - 8. (Cancel)
- (Previously Presented) The sintered calcium phosphate according to claim 7, wherein said composition forming said bioactive glass is free from P₂O₅.
 - 10-12. (Canceled)
- 13. (Previously Presented) A sintered calcium phosphate comprising a bioactive glass as a sintering aid, said bioactive glass formed from a composition consisting essentially of 30 to 60 mol % of CaO, 40 to 70 mol % of SiO₂, 0.1-5 mol % of Na₂O, and 0.1-1 mol % of CaF₂, wherein said sintered calcium phosphate is formed from a calcium phosphate comprising a hydroxyapatite, a carbonated apatite or tricalcium phosphate.

- 14. (Previously Presented) A sintered calcium phosphate comprising a bioactive glass as a sintering aid, said bioactive glass formed from a composition consisting essentially of 30 to 60 mol % of CaO, 40 to 70 mol % of SiO₂, 0.1-5 mol % of Na₂O, and B₂O₃, said B₂O₃ being present in an amount of 5 mol % or less, wherein said sintered calcium phosphate is formed from a calcium phosphate comprising a hydroxyapatite, a carbonated apatite or tricalcium phosphate.
- 15. (Currently Amended) The A sintered calcium phosphate according to claim 12 comprising a bioactive glass as a sintering aid, said bioactive glass formed from a composition consisting essentially of 30 to 60 mol % of CaO, 40 to 70 mol % of SiO₂, and 0.1-5 mol % of Na₂O, said sintered calcium phosphate being excellent in cell attachment, cell proliferation and alkaline phosphotase activity, wherein said sintered calcium phosphate is formed from a calcium phosphate comprising a hydroxyapatite, a carbonated apatite or tricalcium phosphate, and wherein a difference between glass transition temperature and crystallization initiation temperature in said bioactive glass is 80°C or more.
 - 16. (Canceled)
- 17. (Previously Presented) A sintered calcium phosphate comprising a bioactive glass as a sintering aid, said bioactive glass formed from a composition consisting essentially of 30 to 60 mol % of CaO, 40 to 70 mol % of SiO₂, and at least one of Na₂O, CaF₂ and B₂O₃, Na₂O being 0.1 to 5 mol %, CaF₂ being 0.1-1 mol %, and B₂O₃ being 5 mol % or less, wherein said sintered calcium phosphate is formed from a calcium phosphate comprising a hydroxyapatite, a carbonated apatite or tricalcium phosphate.

- 18. (Canceled)
- (Previously Presented) The sintered calcium phosphate according to claim 17, wherein said composition forming said bioactive glass is substantially free from P₂O₃.
 - 20-21. (Canceled)
- 22. (Previously Presented) The sintered calcium phosphate according to claim 1, wherein the composition forming said bioactive glass comprises CaO and SiO₂ in approximately equal molar ratios.
 - 23. (Canceled)
- 24. (Previously Presented) The sintered calcium phosphate according to claim 1, wherein said bioactive glass generates a β-wollastonite crystal at a crystallization temperature.
 - 25. (Canceled)
- 26. (Previously Presented) The sintered calcium phosphate according to claim 13, wherein a difference between glass transition temperature and crystallization initiation temperature in said bioactive glass is 80°C or more.
- 27. (Previously Presented) The sintered calcium phosphate according to claim 13, wherein said composition forming said bioactive glass is free from P₂O₅.
- 28. (Previously Presented) The sintered calcium phosphate according to claim 13, wherein said bioactive glass generates a B-wollastonite crystal at a crystallization temperature.